

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|---|------------------|
| 1 | 77323 | integrator | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 12:55 |
| 2 | 8673 | integrator with resistor | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:28 |
| 3 | 25420 | amplifi\$6 near4 factor | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 12:56 |
| 4 | 1736 | (amplifi\$6 near4 factor) same sensor | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 12:56 |
| 5 | 39608 | (light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:55 |
| 8 | 1 | ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and (integrator with resistor) and ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and ((amplifi\$6 near4 factor) same sensor) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 12:59 |
| 7 | 108 | ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and ((amplifi\$6 near4 factor) same sensor) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 12:59 |
| 6 | 127 | ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and (integrator with resistor) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:11 |
| 9 | 555 | integrator with ((variable or adjustable) near3 resistor) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:28 |
| 10 | 19 | (integrator with ((variable or adjustable) near3 resistor)) and ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:36 |
| 11 | 2185 | (amplification or amplifier) same ((variable or adjustable) near3 resistor) same integrat\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:37 |
| 12 | 78 | ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and ((amplification or amplifier) same ((variable or adjustable) near3 resistor) same integrat\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:52 |
| 13 | 9107 | malfunction same stop\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:01 |
| 14 | 373 | (malfunction same stop\$4) and resolution | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:13 |
| 15 | 5 | ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) and ((malfunction same stop\$4) and resolution) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:56 |

| | | | | |
|----|--------|---|---|------------------|
| 16 | 18311 | ((beam or light) near2 position) near4 (sens\$3 or detect\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:56 |
| 17 | 8 | ((beam or light) near2 position) near4 (sens\$3 or detect\$3)) and ((malfunction same stop\$4) and resolution) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:56 |
| 18 | 2351 | malfunction same inhibit\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:25 |
| 19 | 16 | ((malfunction same stop\$4) and resolution) and (malfunction same inhibit\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:57 |
| 20 | 324 | malfunction same resolution | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:59 |
| 21 | 1 | (malfunction same resolution) and (((beam or light) near2 position) near4 (sens\$3 or detect\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 13:59 |
| 22 | 6 | (malfunction same resolution) and ((light near2 (intensity or quantity or luminous or energy)) near4 (sens\$3 or detect\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:00 |
| 23 | 104212 | plural\$3 near4 (light beam) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:00 |
| 24 | 302 | malfunction same (stop\$4 with (light beam)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:01 |
| 27 | 10 | (plural\$3 near4 (light beam)) and (malfunction same (inhibit\$4 with (light beam))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:01 |
| 26 | 25 | (plural\$3 near4 (light beam)) and (malfunction same (stop\$4 with (light beam))) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:02 |
| 29 | 4 | (malfunction same (inhibit\$4 with (light beam))) and resolution | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:13 |
| 28 | 12 | (malfunction same (stop\$4 with (light beam))) and resolution | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:14 |
| 25 | 50 | malfunction same (inhibit\$4 with (light beam)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:20 |
| 31 | 0 | (light with remaining with good) and ((malfunction same stop\$4) or (malfunction same inhibit\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:21 |

| | | | | |
|----|-----|---|---|------------------|
| 30 | 150 | light with [REDACTED]aining with good | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:21 |
| 32 | 152 | malfunction same skip\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:26 |
| 33 | 3 | (plural\$3 near4 (light beam)) and (malfunction same skip\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2003/05/10 14:26 |